| Data sheet for three-phase Squirrel-Cage-Motors ABB | | | | | | | | | | | | | | | | | | | |
|--|--|---------------------------------|-------------|--------------------|------------|-----------------|--------------------------|-----------------|-----------------------|-----------------------------|---------------------------|------------------------------------|--------------------------|----------|----------------|---------------------------------|-------|------|------|
| Motor | tvpe: | SE |) 200 NE | MA Pre | emium 8 | 341 | | FS: 445 | TS - 4p | - 150 hı |) - | | | | | | | | |
| Motor type: SD200 NEMA Premium 841 FS: 445TS - 4p Client order no. Item-No. | | | | | | | Offer no. | | | | | | | | | | | | |
| Order no. | | | | | C | Consignment no. | | | | | | Project | | | | | | | |
| Remarks | lemarks | | | | | | | | | | | | | | | | | | |
| Electri | cal data | <u></u> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| U [V] | r_{1} Δ/Y r_{1} r_{2} r_{3} r_{4} r_{5} | | | 4/4 | I Load | [Amps] | 0 | LRC | Nom. Eff Load [4] | | d [%] 2/4 | | | | | | | | |
| | | | | | | | | | | | | | | | | | | [70] | [,0] |
| Frame Type: 445TS Type of constr.: | | | | | constr.: | | | | Mote | | | Motor Prot | or Prot.: | | | Des.: | S.F.: | 1.15 | |
| Mtr. WT: lbs | | | | Insulation Class.: | | | | | Temp. F | Temp. Rise Cl.: B Amb. Temp | | | .: + 40 to ' | °C @10 | 100 m | kVA: | | ı | Р |
| Mecha | Mechanical data | | | | | | | | | | | | | | | | | | |
| | Sound level (SPL / SWL) at 60 Hz | | | | | | | | | | | | | | | | | | |
| | | | | nd Cente | er Freque | | | | | . Safe Stall Time Hot s | | | | | | | | | |
| | | 250 | 50 | 0 10 | 000 2 | 000 | 4000 | 8000 | Hz | Safe Stall Time Cold | | | | | s | | | | |
| S | PL@3 | | | | | | | | dB(A) | Frame material | | | | | Cast iron | | | | |
| Mome | nt of ine | rtia | | | | | Lb-ft² | | | Color, paint shade | | | | | | | | | |
| Ext Loa | ad Inertia | Capabilit | ty: | | | | Lb ft² | | | Coating (paint finish) | | | | | | | | | |
| Bearin | gs | | | | | | | | | Ventilation Type | | | | | | | | | |
| Bearing | g DE NC | DE | | | 6315 | Z C3 S0 | | 6315 Z C | 3 SO | Method of cooling TEFC | | | | | | | | | |
| Bearing_Type Ball Bearing | | | | | Bearing | g Ball Bearing | | | Direction of rotation | | | | | | | | | | |
| AFBMA: 75BC03JP3 | | | | | | CO3JP3 | | 75BC03 | JP3 | Fan Material | | | | | | | | | |
| Grease | | | | | | | | | VFD CT: VT: 20:1 | | | | | | | | | | |
| Capacity 15 oz | | | | 5 oz | 15 oz | | | • | | | | | vithout | thout | | | | | |
| Grease Type: | | | | | | | | | Brake: -/- | | | | | | | | | | |
| Termi | nal box | <u> </u> | | | | | | | | | | | | | | | | | |
| Lead Wire Connection Terminal box position | | | | | | | | | | | | | | | | | | | |
| Voltage L1 L2 L3 Connected together | | | | | | | Material of terminal box | | | | | | | | | | | | |
| | | | | | | | | Cable entry -/- | | | | | | | | | | | |
| | | | | | | | | | - | | | | | | · | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Notes: | ed rotor cui | rrent / current | t nominal | | | | | | | 3) Value i | s valid only | for DOI one | eration with r | notor de | sign IC411 | | | | |
| $M_A/M_N = I$ | ocked rotor | torque / torqu torque / nomi | ue nominal | | | | | | | | d power / at | | | | signi ic i i i | | | | |
| Responsible department Technical reference IN LVM | | | | | Created by | | | Appr | Approved by | | | Technical data are subject to chan | | | | nge! There may be discrepancies | | | |
| IIN LVI | ví | | | SPC Document type | | | | | | | | | Document status customer | | | | | | |
| Document type | | | | | | | | | | | | | | | customer | | | | |
| Datasheet Document title 1LE6322-4FB2 | | | | | | | | | | | Released Document number | | | | - | | | | |
| | | | | 2 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Revision Creation date | | Language | Page | e | | | |
| © ABB 2024 | | | | | | | | | | | | | 2024-05- | 03 23:51 | en | 1/1 | | | |

| | | | Main te | rminal diagram | | | | | |
|-------------------------|-------------------------------|--|--------------------------------------|-----------------------------------|--------------|-----------------|--|-------------------|--------------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Transmittal, reproduct | on, dissemination and/or | editing of this document as well a gistration of a utility model or des | s utilization of its contents and co | mmunication thereof to others wit | thout expres | s authorization | are prohibited. Offenders will | be held liable fo | r payment of |
| damages. All rights cre | ated by patent grant or re | gistration of a utility model or des | ign patent are reserved. | | | | | | |
| Responsible depart | ment | Technical reference | Created by | Approved by | Technical | data are subj | ect to change! There may en calculated and rating | Link docume | <u>ents</u> |
| IN LVM | | | | Created automatically | plate valu | ies. | en calculated and rating | ■288 | |
| | Document type Document status | | | | | | | | |
| | | Wiring diagramm | Released | | | * | | | |
| | | Document title | | | | Document | | | |
| <u> </u> | | 1LE6322-4FB2 | | | | | 0503-235137 | | |
| Restricted © Innomotics | 2024 | | | | | Revision AA | Creation date 2024-05-03 | Language | Page 1/1 |
| Les minomotics | ZUZ4 | i | | | | Δ | 1 とひと4-ひつ-ひろ | len | 1 1/1 |