Data sheet for three-phase Squirrel-Cage-Motors ABB																			
Motor	type:				FS: 1	82T - p	- 3 hp -												
Client order no.							tem-No.					Offer	Offer no.						
Order no.						(Consignment no.						Project						
Remarks																			
Flectri	cal data																		
Liecti	car date	•																	
			P	FLAME F 3			l Load [Amps]			Nom. Eff Load [%] 4/4 3/4 2/4			14 414 314 314			Torque			
[v]		[HZ]	[HP]	[KVV]	[rpm]	4/4	3/4	1/2	0	LRC	4/4	3/4	2/4	4/4	1 3/4	2/4	[lb-ft]	LRT [%]	BDT [%]
Frame Type: 182T Type of constr.:											Motor Prot	.:		NEMA	Des.:	S.F.	: 1.15		
Mtr. WT: lbs			ı	nsulation	Class.:Stan	dard Clas	F Insulation	F Insulation				+ 40 to -20	0 to -20 °C @1000 m			A:	IP 55		
										7.1110. Tellip + +0 to -20 C @ 1000 III									
Mecha	anical d	lata																	
Sound	Sound level (SPL / SWL) at 60 Hz dB(A) / dB(A) Thickener																		
		2 5 0			er Freque	ncies He 000	rtz 4000	8000	Hz	Safe Stall Time Hot						S			
Si	PL@3	250	, 50	,0 1	,00 Z	000	4000	0000	dB(A)	Safe Stall Time Cold				s					
							11. 6.2		45(7.5)	Frame material									
	nt of iner						Lb-ft ²				paint sha				-	Standard			
		Capabilit	.y:				LD It-			Coating (paint finish) Standard Alkyed + Epoxy (C2)							.2)		
Bearin	ys g DE ND	NE.					1			Ventilation Type Method of cooling									
Bearing		, C						Ball Bea	rina	Direction of rotation									
AFBMA								buil bea	illig	Fan Material									
										VFD CT: VT:									
Grease Capacity oz					oz		OZ	Space heaters					- <i>l</i> -						
Grease Type:					02		02		Brake:					-/-					
Termi	nal box																		
	Lead Wire Connection								Terminal box position										
Volta	Voltage L1 L2 L3 Connected together							ether	Material of terminal box										
										Cable entry -/-									
										-									
Notes:																			
$I_A/I_N = lock$		rent / current torque / torqu									s valid only d power / at		eration with r	notor de	sign IC411				
		orque / nomi	nal torque	Techni	cal referen	ce	Create	ed by		Annr	oved by			Tech	nnical data are	subject to cha	nge! There	may be d	iscrepancies
Responsible department Technical reference IN LVM					SPC														
Document type Datasheet Document title								•			Docui	Document status				er			
										Rele	Released								
											Docui	Document number							
	1LE				LE2221-1CB1						ļ						1.	. 1-	
© ABB 2024											Revisi 01	VII	Creation date 2024-05-		Languag en	je Pag 1/			

			Main te	rminal diagram					
Transmittal, reproduc damages. All rights cr	tion, dissemination and/or eated by patent grant or re	editing of this document as well a egistration of a utility model or des	s utilization of its contents and co ign patent are reserved.	mmunication thereof to others wit	ithout expres	s authorizatior	n are prohibited. Offenders will	l be held liable fo	r payment of
December 21 to the control of the co		IT. b. Callada	I constitution	I.a	T	-d-4		Treatment	
Responsible depar	tment	Technical reference	Created by	Approved by Created automatically	be discrep	aata are subj oancies betwe ies.	ect to change! There may een calculated and rating	Link docum	<u>ents</u>
		Document type	<u> </u>	Created automatically		Document :	status	夏黎	
	Wiring diagramm Document title Document number								20.25
		1LE2221-1CB1			I		0501-192633		
Restricted		1				Revision	Creation date	Language	Page
© Innomotics	2024					AA	2024-05-01	len	1/1