<u>Data</u>	sheet	t for th	iree-p	hase S	Squirre	el-Ca	ge-Mot	ors A	<u>BB</u>											
Motor	type:				FS: 3	64T - I	o - 40 hp	-												
Client order no.					Item-No.						Offer	Offer no.								
Order no.					Consignment no.					Proje	Project									
Remarks																				
Electri	cal data	3																		
U Δ/Y f P P n I Load [Amj [V] Δ/Y [Hz] [HP] [kW] [rpm] 4/4 3/4 1								d [%]				Torque		T _k /T _N						
		[HZ]	[HP]	[KVV]	[rpm]	4/4	3/4	1/2	0	LRC	4/4	3/4	2/4	4/4	3/4	2/4	[lb-ft]	LRT [%]	BDT [%]	
Fra	me Type:	364T			Type of	constr.:					Motor Prot.: NEMA Des.: S.F.: 1.1						.: 1.15			
	Mtr. WT: ll	bs	I	Insulation Class.:Standard Class F Insulation Ten					Temp. F	ise Cl.: B Amb. Temp.: + 40 to -20 °C @1000 m				00 m	kVA: IP 54			P 54		
Mecha	anical d	lata																		
Sound	level (SP	L / SWL) a	at 60 Hz			c	B(A) / dB(A)		Thicke	ner									
Joana				nd Cente	er Freque			.,			tall Time	Hot					s			
		250				000	4000	8000	Hz	Safe Stall Time Cold					S					
S	PL@3								dB(A)	Frame	Frame material									
Mome	nt of ine	rtia					Lb-ft²	-ft ² Color, paint sh				ide	Standard Paint - RAL7030							
Ext Loa	ad Inertia	Capabilit	ty:				Lb ft²			Coating (paint finish) Standard Alkyed + Epoxy (C2)								2)		
Bearin	gs									Ventil	ation Ty	pe								
Bearing	g DE NC	θE								Method of cooling										
Bearing	g_Type							Ball Bearing Direction of rotation				ation								
AFBMA	۸:									Fan Material										
Grease	9								VFD	VFD CT: VT:										
Capacity oz				oz		Space	Space heaters				-1-									
Grease	Type:									Brake:	Brake: -/-									
Termi	nal box																			
	Lead Wi	re Conneo	ction							Termir	nal box po	osition								
Voltage L1 L2 L3 Connected together						ether	Terminal box position Material of terminal box													
						Cable entry -/-														
										-										
Notes:	and a st									2) 11		(DO)			- 10444					
$M_A/M_N = I$	ocked rotor	rent / curren torque / torqu torque / nomi	ue nominal								s valid only 1 power / at 1		eration with r	notor desig	jn IC411					
Responsible department Technical reference Created by					Approved by				Technical data are subject to change! There may be discrepancies											
IN LVM SPC																				
Document type				I						Docu	Document status customer				ner					
Datasheet											Released									
					nent title								Docu	Document number						
1LE2221-3CC1											reation date		1							
© ABB 2024										Revisi		024-05-		Langua 0 en	age Pag					

[Main terminal diagram					
l						
Torrest in the second					16.6.0000	
i ransmittal, reproducti damages. All rights cre	uction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others withou created by patent grant or registration of a utility model or design patent are reserved.	ut express	authorization	n are prohibited. Offenders will	ı be held liable f	or payment of
Responsible depart	artment Technical reference Created by Approved by Ta	echnical	data are subj	ect to change! There may een calculated and rating	Link docun	ients
IN LVM	Created automatically	e discrep late valu	ancies betwe es.	een calculated and rating		
	Document type		Document	status		
	Wiring diagramm					
	Document title		Document			
	1LE2221-3CC1		0503-033032		670 FREE 8	
Restricted	2024		Revision	Creation date	Language	Page
© Innomotics	55 ZUZ4		AA	2024-05-03	en	1/1