Data sheet for three-phase Squirrel-Cage-Motors ABB																				
Motor	type:				FS: 2	15T - p	- 10 hp	-												
Client order no.							Item-No.						Offer no.							
Order no.						(Consignme	nt no.					Project							
Remarks																				
-1																				
Electri	cal data	a																		
U A/Y f P P n				I Load	[Amps]		Nom. Eff Load								Torque T _A /T _N					
[V]	Δ/1	[Hz]	[HP]	[kW]	[rpm]	4/4	3/4	1/2	0	LRC	4/4	3/4	2/4	4/4	3/4	2/4	[lb-ft]	LRT [%]	BDT [%]	
Frame Type: 215T				Type of	ype of constr.:				Motor Prof			.:	NEMA D			Des.: S.F.: 1.15				
	Mtr. WT: lbs			Insulation Class.:Standard Class F Insulation					Temp. Rise Cl.: B Amb. Ter			ıb. Temp.:	+ 40 to -20) °C @′	1000 m	kVA	kVA: IP 55		55	
Mecha	anical d	lata																		
		L / SWL) a	nt 60 Hz			d	3(A) / dB	(A)		Thicke	ner									
Journa	10001 (31			nd Cente	er Freque			(71)							S					
		250				000	4000	8000	Hz		Safe Stall Time Cold						s			
S	PL@3								dB(A)	Frame material				,						
Mome	nt of ine	rtia					Lb-ft²									Paint - RA	aint - RAL7030			
Ext Loa	ad Inertia	Capabilit	:y:				Lb ft²			Coating (paint finish) Standard Alkyed + Epoxy							оху (С	2)		
Bearin	ıgs									Ventilation Type										
l	g DE NC)E								Method of cooling										
Bearing											Direction of rotation									
AFBM <i>A</i>									J	Fan Material										
Grease										VFD						(T: VT:			
					oz		oz		Space heaters						-/-					
Grease Type:								Brake:						-1-						
Termi	nal box																			
	Lead Wire Connection								Termir	nal box p	osition									
Volta	Voltage L1 L2 L3 Connected together								ether	Material of terminal box										
										Cable entry -/-										
Notes:																				
		rrent / current torque / torqu									s valid only d power / at		eration with r	notor de	sign IC411					
		torque / nomi	nal torque	Taska:	!		C	al la .						Toch	nical data are	subject to she	ngol Thoron	nav ho di	iscrangusios	
Responsible department Technical reference IN LVM					Le	Create SPC	u by		Appr	Approved by			Technical data are subject to change! There may be disc				screpuncies			
Document type Datasheet					1	1510						Document status cus				r				
													Released							
Document title 1LE2321-2AB2											Document number									
				32																
												on	Creation date	e	Languag	e Pag	e			
© ABB 2024										01		2024-04-	27 19:05	en	1/1	l				

			Main te	rminal diagram					
Transmittal, reproduc damages. All rights cr	tion, dissemination and/or eated by patent grant or re	rediting of this document as well a egistration of a utility model or des	is utilization of its contents and co sign patent are reserved.	mmunication thereof to others wit	ithout express	authorization	n are prohibited. Offenders will	be held liable for	r payment of
D		I To the Control of Control	I constitution	I	T6-1-1	d-4 b		Learning	
Responsible depar	tment	Technical reference	Created by	Approved by Created automatically	be discrep	aata are subj ancies betwe es.	ect to change! There may een calculated and rating	Link docume	<u>ents</u>
		Document type		Created automatically		Document :	status		
Wiring diagramm Released Document title Document number							1022	20.25	
							number		
		1LE2321-2AB2					0427-190525	□8 %	
Restricted		1			_	Revision	Creation date	Language	Page
© Innomotics	2024					AA	2024-04-27	len	1/1