Data sheet for three-phase Squirrel-Cage-Motors ABB																				
Motor	type:				FS: B	445T	- p - 125	hp -												
Client order no.							Item-No.					Offer	Offer no.							
Order no.						Consignme	nt no.					Proje	Project							
Remarks																				
Electri	cal data																			
U		f	Р	Р	n		l Load	[Amps]		Nom. Eff Load [d [%]					Torque T _A /T _N T _k /T _N		
[V]	Δ/Υ	[Hz]	[HP]	[kW]	[rpm]	4/4	3/4	1/2	0	LRC	4/4	3/4	2/4	4/4	3/4	2/4	[lb-ft]	LRT [%] BDT [%]	
		60	125.00	90.00																
Frar	ne Type: B	145T			Type of	constr.	:					Motor Prot	.: NEMA			Des.: S.F.: 1.15		.: 1.15		
	Vtr. WT: lb	s	Ir	sulation (lass.:Stan	dard Cla	ass F Insulation Temp. Rise Cl.:				l.: B Amb. Temp.: + 40 to -20 °C @1				000 m kVA: IP 55			IP 55		
Mecha	nical d	ata																		
Sound	level (SPI	. / SWL) a	at 60 Hz				dB(A)/dB	(A)		Thicke	ner									
			Octave Ba							Safe Stall Time Hot					s					
	PL@3	250) 50	0 10	000 2	000	4000	Sale Stall Time Cold						s						
									dB(A)	Frame material										
	nt of iner						Lb-ft ²			Color, paint shade					Standard Paint - RAL7030					
	d Inertia	Capabilit	ty:				Lb ft ²				g (paint i				S	tandard A	kyed + E	роху (C2)	
Bearin	-	-					I			Ventilation Type										
Bearing DE NDE								Method of cooling Direction of rotation												
Bearing_Type Ball Bearing AFBMA:								Fan Material												
Grease							I			VFD CT: VT:										
Capacit						oz		oz Space heaters						-1-						
Grease	Туре:									Brake:				-1-						
	nal box									_										
Lead Wire Connection								Terminal box position												
Voltage L1 L2 L3 Connected together							Material of terminal box													
									Cable entry -l-											
										-										
Notes:																				
$M_A/M_N = 10$	ed rotor curr ocked rotor to reak down to	orque / torqu	ue nominal								s valid only d power / at :		ration with r	notor desi	gn IC411					
	Responsible department Technical reference Created by						Approved by			Technical data are subject to change! There may be discrepancies										
IN LVN	N LVM SPC											· -	· · ·							
Document type										ment sta	tus		custom	ner						
Datasheet Document title 1LE2421-4EC2												Released Document number								
												Revisi	ion (reation date	e	Langua	age Pa	ige		
© ABB	© ABB 2024										01		2024-04-	28 07:37	en	1	/1			

			Main ter	minal diagram					
Transmittal, reproduct	ion, dissemination and/or	editing of this document as well as	s utilization of its contents and co	nmunication thereof to others wit	hout expre	ss authorization	are prohibited. Offenders will	be held liable fo	r payment of
damages. All rights cre	eated by patent grant or re	editing of this document as well as egistration of a utility model or desi	ign patent are reserved.						-
Responsible depar	tment	Technical reference	Created by	Approved by	Technico	ıl data are subj	ect to change! There may en calculated and rating	Link docum	<u>ents</u>
IN LVM				Created automatically	be discre plate val	epancies betwe lues.	en calculated and rating		
		Document type	I	I	I	Document s	status		
	Wiring diagramm Released								
	Document title Document number								
		1LE2421-4EC2			0428-073711				
Restricted		-		Revision Creation date Langu			Page		
© Innomotics	2024					AA	2024-04-28	en	1/1
		I				l	L 0 - 20	l	<u> </u>