


SIEMENS



Product overview for Key panel / extension units

TIA Selection Tool Web



SIMATIC HMI Key Panels

SIMATIC HMI Key Panels - the smart alternative to long-travel keys

The compact SIMATIC HMI Key Panels replace conventional operator panels, but are less expensive because they are pre-assembled and ready for installation.

The devices are designed for direct control cabinet installation and can also be mounted on support arm and pedestal systems from various manufacturers via a flexible mechanism. This means that they can be optimally used on machines in any application - for ergonomic operation at various points in plants or production lines.

<http://www.siemens.com/key-panels>

Highlights

Time and cost savings thanks to low amount of work for wiring and assembly

- Devices are designed for direct installation in the control cabinet (IP65) and can be mounted using flexible mechanics and support arm and pedestal systems from various manufacturers.
- Devices can be mounted quickly and space-savily using clamping technology or in a PRO empty enclosure - in the control cabinet as well as next to the machine.
- Pre-assembly ready for installation ensures time savings of over 60% during installation.
- Savings of over 30% in material costs.

Integrated safety functionality ensures fail-safe communication

- Fail-safe transmission of safety-related signals via PROFISAFE.
- For example, a SIL 3 emergency stop button can be connected to two fail-safe inputs (with the F versions).

Interfaces ensure easy integration into the automation solution

- Easy integration into existing automation networks thanks to two PROFINET-capable Ethernet interfaces on-board and integrated switch functionality (without complex cabling and without additional hardware).
- Line and ring structures can be set up.
- Panels can be mounted without gaps next to each other and the 24 V DC power supply can be looped through from the adjacent panel.

Integrated diagnostics ensure high availability

- Interference can be bridged using an integrated redundancy mechanism.
- The Media Redundancy Protocol (MRP) for networks in ring topology compensates, for example, for a cable break or component failure.


Bright keys ensure good operability

- All illuminated pushbuttons have a dimmable LED backlight.
- Five colors (red, green, blue, white, yellow) can additionally be displayed event-controlled.


A wide range of connection options create flexibility in application

- Integrated digital I/Os on the back of the device for connecting key switches, indicator lights, etc.


Key panel / extension units

	Article number	
	SIMATIC HMI KP8F PN	6AV3688-3AF37-0AX0
	SIMATIC HMI KP8 PN	6AV3688-3AY36-0AX0
	SIMATIC HMI KP32F PN	6AV3688-3EH47-0AX0
	Extension Units	

Accessories

	Article number	
	Plastic mounting clip	6AV6671-8XK00-0AX2
	Connector, female, 3-pin, type 4	6AV6881-0AE10-0CB0
	Connector, female, 16-pin	6AV6671-3XY48-4AX0
	Switch housing KP8F	6AV6881-2AM12-1AA0
	Connector, female, 12-pin	6AV6671-3XY38-4AX0
	Switch housing KP8	6AV6881-2AM12-2AA0
	Connector, female, 2x2-pin	6ES7193-4JB00-0AA0
	Connector, female, 24-pin	6AV6671-3XY58-4AX0

SIPLUS

	Article number	
	SIPLUS HMI KP8F PN	6AG1688-3AF37-2AX0
	SIPLUS HMI KP8 PN	6AG1688-3AY36-2AX0
	SIPLUS HMI KP32F PN	6AG1688-3EH47-2AX0

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Published by
Siemens AG

Digital Industries
Factory Automation
P.O. box 4848
90026 Nuremberg
Germany

For U.S. only:
Siemens Industry Inc.

100 Technology Drive
Alpharetta, GA 30005
United States

Copyright© 2022 Siemens

The TIA SELECTION TOOL and all its editions are made available to you at no charge. We therefore do not assume any warranty, in particular for the accuracy, correctness, completeness, availability or usability of this tool. Our liability for damages resulting from using the examples, help notes, programs, configuration and performance data, etc. described in this TIA SELECTION TOOL and all its editions regardless of the legal background is excluded unless required by law, e.g. in cases of willful misconduct, gross negligence, personal injury or death, failure to achieve guaranteed characteristics or fraudulent concealment of a defect or in case of breach of fundamental contractual obligations. Distribution or reproduction of this TIA SELECTION TOOL and all its editions or excerpts from it is prohibited unless expressly permitted by Siemens. The latest firmware and hardware versions are configured in the TIA Selection Tool.