

Product overview for SIMATIC ET 200SP (I/O, CPU, Open Controller)



SIMATIC ET 200SP

The powerful IO system for compact control cabinets

SIMATIC ET 200SP is a multifunctional and finely scalable distributed I/O system with a large range of modules.

SIMATIC ET 200SP is approved for IP20 degree of protection and designed for installation in a control cabinet. In addition, SIMATIC ET 200SP supports redundant system concepts that increase the availability of the IO station and eliminate "single points of failure" (system redundancy R1 with the IM R1 interface module).

<https://www.siemens.com/et20sp>

Highlights

Easy cabling and tool-free setup make for quick and simple station setup

- Tool-free cabling with push-in terminal.
- Shielding terminal for analog signals.
- Tool-free setup of the station.

The clearly structured identification system simplifies mounting and servicing

- Machine-printable reference identification labels for clear assignment of the module to the BaseUnit.
- Clearly structured pin assignment with color coding of the terminal.
- Data Matrix code on the module for fast access to technical information in the free Service & Support app.

Simple extension ensures consistent functionality from IP20 to IP65/67

- Direct connection of ET 200AL IO modules.
- Consistent diagnostics from IP20 to IP67.
- Consistent functionality, for example configuration control.

Safety Integrated ensures reduction of the engineering work, the wiring work as well as a reduction of the types and parts

- Maximum integration: one IO system, one controller, one network and one engineering system for standard and fail-safe automation.
- SIL 3 with safety digital input and output modules.
- SIL 2 with standard analog and digital output modules via safe group shutdown.

Flexibility through expandability and quick replacement of modules

- Configuration control with option handling.
- Easy subsequent expandability through device design with gaps.
- Quick replacement of several modules during operation thanks to Multi Hot Swapping.

ET 200SP opens up a wide range of different communication paths

- Fast communication via PROFINET with isochronous backplane bus as standard.
- Support of Ethernet-based fieldbuses through multi-fieldbus interface module.
- PROFIBUS, the proven fieldbus standard as alternative.
- IO-Link ensures a uniform connection of switching devices, sensors or RFID devices to the control level using a cost-effective point-to-point connection.

- With AS-Interface, sensors and actuators of the lowest field level can be easily and quickly networked and connected to the SIMATIC ET 200SP.
- Different communication modules of the ET 200SP enable flexible and high-performance solutions in a distributed configuration, such as PtP, CAN/CANopen or DALI (Digital Addressable Lighting Interface)

Optimum performance for distributed technological tasks

The following technology modules are available and offer hardware-level signal pre-processing directly in the field:

- Counting and measuring.
- Positioning.
- Weighing and dosing tasks.
- Cam and measuring input applications.
- Load control.
- Drive controller.
- Energy management.

MultiFieldbus

- With the MultiFieldbus, you can easily and flexibly use different fieldbus systems with SIMATIC ET 200SP. Thanks to its support of the PROFINET, EtherNet/IP and Modbus/TCP protocols, the MultiFieldbus is designed for use on a wide range of Ethernet controllers.

Interface modules

[Compare technical specifications online](#)



	Article number
ET 200SP, IM155-6PN Basic	6ES7155-6AR00-0AN0
ET 200SP, IM 155-6 PN ST	6ES7155-6AU02-0BN0
ET 200SP, IM155-6PN ST	6ES7155-6AU01-0BN0
ET 200SP, IM 155-6 PN ST incl. BA 2xRJ45	6ES7155-6AA02-0BN0
ET 200SP, IM155-6PN ST incl. BA 2xRJ45	6ES7155-6AA01-0BN0
ET 200SP, IM155-6PN HS	6ES7155-6AU00-0DN0
ET 200SP, IM155-6PN/2 HF	6ES7155-6AU01-0CN0
ET 200SP, IM155-6PN/3 HF	6ES7155-6AU30-0CN0
ET 200SP, IM155-6DP HF incl. DP-Connect.	6ES7155-6BA01-0CN0
ET 200SP, IM 155-6 MF HF	6ES7155-6MU01-0CN0
ET 200SP, IM 155-6 PN R1	6ES7155-6AU00-0HM0
SIPLUS	Compare technical specifications online
SIPLUS ET 200SP IM155-6PN HF	6AG1155-6AU01-2CN0
SIPLUS ET 200SP IM155-6PN HF T1 RAIL	6AG2155-6AU01-1CN0
SIPLUS ET 200SP IM155-6PN ST / BA	6AG1155-6AA01-7BN0
SIPLUS ET 200SP IM155-6PN R1	6AG1155-6AU00-7HM0
SIPLUS ET 200SP IM155-6PN ST	6AG1155-6AU01-7BN0
SIPLUS ET 200SP IM155-6PN HF	6AG1155-6AU01-7CN0
SIPLUS ET 200SP IM155-6DP HF	6AG1155-6BA01-7CN0
SIPLUS ET 200SP IM155-6PN ST BA TX RAIL	6AG2155-6AA01-4BN0
SIPLUS ET 200SP IM155-6PN ST TX RAIL	6AG2155-6AU01-4BN0
SIPLUS ET 200SP IM155-6PN HF TX RAIL	6AG2155-6AU01-4CN0

Central processing units

[Compare technical specifications online](#)



	Article number
CPU 1510SP-1 PN, 200KB Prog., 1MB Data	6ES7510-1DK03-0AB0
CPU1510SP F-1 PN, 300KB Prog., 1MB Data	6ES7510-1SK03-0AB0
CPU 1512SP-1 PN, 400KB Prog., 2MB Data	6ES7512-1DM03-0AB0
CPU 1512SP F-1 PN, 600KB Prog./2MB Data	6ES7512-1SM03-0AB0
CPU 1514SP-2 PN, 600KB Prog.,3,5MB Data	6ES7514-2DN03-0AB0
CPU 1514SP F-2 PN, 900KbProg.3,5MbData	6ES7514-2SN03-0AB0
CPU 1514SP T-2 PN, 900KB Prog., 3,5MB Dat	6ES7514-2VN03-0AB0
CPU 1514SP TF-2 PN, 900KB Prog, 3,5MB Dat	6ES7514-2WN03-0AB0
Predecessor CPUs	Compare technical specifications online
CPU 1510SP-1 PN, 100KB Prog./750KB Data	6ES7510-1DJ01-0AB0
CPU1510SP F-1 PN, 150KB Prog./750KB Data	6ES7510-1SJ01-0AB0
CPU 1512SP-1 PN, 200KB Prog./1MB Data	6ES7512-1DK01-0AB0
CPU 1512SP F-1 PN, 300KB Prog./1MB Data	6ES7512-1SK01-0AB0
SIPLUS ET 200SP CPU 1510SP F-1PN	6AG1510-1SJ01-2AB0
SIPLUS ET 200SP CPU 1512SP F-1PN	6AG1512-1SK01-2AB0
SIPLUS ET 200SP CPU 1510SP-1 PN	6AG1510-1DJ01-2AB0
SIPLUS ET 200SP CPU 1512SP-1 PN	6AG1512-1DK01-2AB0
SIPLUS ET 200SP CPU 1510SP-1 PN RAIL	6AG2510-1DJ01-1AB0
SIPLUS ET 200SP CPU 1510 F-1 PN RAIL	6AG2510-1SJ01-1AB0
SIPLUS ET 200SP CPU 1512SP-1 PN RAIL	6AG2512-1DK01-1AB0
SIPLUS ET 200SP CPU 1512 F-1 PN RAIL	6AG2512-1SK01-1AB0
SIPLUS ET 200SP CPU 1510SP-1 PN	6AG1510-1DJ01-7AB0
SIPLUS ET 200SP CPU 1512SP-1 PN	6AG1512-1DK01-7AB0
SIPLUS ET 200SP CPU 1512SP F-1 PN	6AG1512-1SK01-7AB0
SIPLUS ET 200SP CPU 1510SP-1 PN RAIL	6AG2510-1DJ01-4AB0
SIPLUS ET 200SP CPU 1512SP-1 PN RAIL	6AG2512-1DK01-4AB0
SIPLUS ET 200SP CPU 1512 F-1 PN RAIL	6AG2512-1SK01-4AB0

: Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Central processing units

[Compare technical specifications online](#)

Article number

SIPLUS

[Compare technical specifications online](#)

SIPLUS ET 200SP CPU 1510SP-1 PN	6AG1510-1DK03-2AB0
SIPLUS ET 200SP CPU 1510SP F-1 PN	6AG1510-1SK03-2AB0
SIPLUS ET 200SP CPU 1512SP-1 PN	6AG1512-1DM03-2AB0
SIPLUS ET 200SP CPU 1512SP F-1 PN	6AG1512-1SM03-2AB0
SIPLUS ET 200SP CPU 1512SP-1 PN RAIL	6AG2512-1DM03-1AB0
SIPLUS ET 200SP CPU 1512SP F-1 PN RAIL	6AG2512-1SM03-1AB0
SIPLUS ET 200SP CPU 1510SP-1 PN	6AG1510-1DK03-7AB0
SIPLUS ET 200SP CPU 1512SP F-1 PN	6AG1512-1SM03-7AB0
SIPLUS ET 200SP CPU 1512SP-1 PN RAIL	6AG2512-1DM03-4AB0
SIPLUS ET 200SP CPU 1512SP F-1 PN RAIL	6AG2512-1SM03-4AB0

Open Controller

[Compare technical specifications online](#)

Article number



Standard CPUs

[Compare technical specifications online](#)

CPU1515SP PC2	6ES7677-2DB42-0GB1
CPU1515SP PC2 - IndOS	6ES7677-2DB43-0GB1
CPU1515SP PC2 F	6ES7677-2SB42-0GB1
CPU1515SP PC2 F - IndOS	6ES7677-2SB43-0GB1
CPU1515SP PC2 + HMI 128PT	6ES7677-2DB42-0GK0
CPU1515SP PC2 F + HMI 128PT	6ES7677-2SB42-0GK0
CPU1515SP PC2 + HMI 512PT	6ES7677-2DB42-0GL0
CPU1515SP PC2 F + HMI 512PT	6ES7677-2SB42-0GL0
CPU1515SP PC2 + HMI 2048PT	6ES7677-2DB42-0GM0
CPU1515SP PC2 F + HMI 2048PT	6ES7677-2SB42-0GM0
CPU1515SP PC2	6ES7677-2DB42-0GB0
CPU1515SP PC2	6ES7677-2DB43-0GB0
CPU1515SP PC2 F	6ES7677-2SB42-0GB0
CPU1515SP PC2 F	6ES7677-2SB43-0GB0
SIPLUS ET 200SP CPU1515SP PC2	6AG1677-2DB42-2GB0
SIPLUS ET 200SP CPU1515SP PC2 F	6AG1677-2SB42-2GB0
SIPLUS ET 200SP CPU 1515SP PC2 RAIL	6AG2677-2DB42-2GB0
SIPLUS ET 200SP CPU1515SP PC2 F RAIL	6AG2677-2SB42-2GB0
SIPLUS ET 200SP CPU1515SP PC2	6AG1677-2DB42-2GB0
SIPLUS ET 200SP CPU1515SP PC2 F	6AG1677-2SB42-2GB0
SIPLUS ET 200SP CPU1515SP PC2 F RAIL	6AG2677-2SB42-2GB0
SIPLUS ET 200SP CPU 1515SP PC2 RAIL	6AG2677-2DB42-2GB0

Technology CPUs

[Compare technical specifications online](#)

CPU1515SP PC2 T	6ES7677-2VB42-0GB1
CPU1515SP PC2 TF	6ES7677-2WB42-0GB1
CPU1515SP PC2 T + HMI 128PT	6ES7677-2VB42-0GK0
CPU1515SP PC2 TF + HMI 128PT	6ES7677-2WB42-0GK0
CPU1515SP PC2 T + HMI 512PT	6ES7677-2VB42-0GL0
CPU1515SP PC2 TF + HMI 512PT	6ES7677-2WB42-0GL0
CPU1515SP PC2 T + HMI 2048PT	6ES7677-2VB42-0GM0
CPU1515SP PC2 TF + HMI 2048PT	6ES7677-2WB42-0GM0
CPU1515SP PC2 T	6ES7677-2VB42-0GB0
CPU1515SP PC2 TF	6ES7677-2WB42-0GB0

SIPLUS

[Compare technical specifications online](#)

SIPLUS ET 200SP CPU1515SP PC2	6AG1677-2DB42-2GB0
SIPLUS ET 200SP CPU1515SP PC2 F	6AG1677-2SB42-2GB0
SIPLUS ET 200SP CPU 1515SP PC2 RAIL	6AG2677-2DB42-2GB0

: Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Open Controller

[Compare technical specifications online](#)

Article number

SIPLUS ET 200SP CPU1515SP PC2 F RAIL	6AG2677-2SB42-2GB0
--------------------------------------	--------------------

I/O modules

Article number



Digital inputs

[Compare technical specifications online](#)

ET 200SP, DI 8x 24V DC Basic, PU 1	6ES7131-6BF01-0AA0
ET 200SP, DI 8x 24V DC ST, PU 1	6ES7131-6BF01-0BA0
ET 200SP, DI 8x24VDC HF, PU 1	6ES7131-6BF00-0CA0
ET 200SP, DI 8x24VDC High Speed	6ES7131-6BF00-0DA0
ET 200SP, DI 16x 24V DC ST, PU 1	6ES7131-6BH01-0BA0
ET 200SP, DI 8x 24V DC SRC BA	6ES7131-6BF61-0AA0
ET 200SP, DI 8x 24VAC..48VUC BA, PU 1	6ES7131-6CF00-0AU0
ET 200SP, DI 4x 120..230VvAC ST	6ES7131-6FD01-0BB1
ET 200SP, DI 8xNAMUR HF	6ES7131-6TF00-0CA0
ET 200SP, EI-Mod., F-DI 8x24VDC HF	6ES7136-6BA00-0CA0
ET 200SP, F-DI 8x24V DC HF	6ES7136-6BA01-0CA0
ET 200SP HA, EX-DI 4xNAMUR	6DL1131-6TD00-0HX1
SIPLUS ET 200SP F-DI 4/8x24VDC HF	6AG1136-6BA01-2CA0
SIPLUS ET 200SP F-DI 4/8X24VDC RAIL	6AG2136-6BA01-2CA0
SIPLUS ET 200SP DI 8x24VDC HF	6AG1131-6BF00-7CA0
SIPLUS ET 200SP DI 8x24VDC ST	6AG1131-6BF01-7BA0
SIPLUS ET 200SP DI 8x24VDC SOURCE BA	6AG1131-6BF61-7AA0
SIPLUS ET 200SP DI 16x24VDC ST	6AG1131-6BH01-7BA0
SIPLUS ET 200SP DI 8x48VUC BA	6AG1131-6CF00-7AU0
SIPLUS ET 200SP DI 4X120..230VAC ST	6AG1131-6FD01-7BB1
SIPLUS ET 200SP DI 8XNAMUR HF	6AG1131-6TF00-7CA0
SIPLUS ET 200SP DI 16X24VDC ST TX RAIL	6AG2131-6BH01-4BA0
SIPLUS ET 200SP DI 8x48VUC TX RAIL	6AG2131-6CF00-4AU0
SIPLUS ET 200SP DI 4X120/230VAC TX RAIL	6AG2131-6FD01-4BB1
SIPLUS ET 200SP DI 8xNAMUR HF TX RAIL	6AG2131-6TF00-4CA0

Digital outputs

[Compare technical specifications online](#)

ET 200SP, DQ 4X24VDC/2A ST, PU 1	6ES7132-6BD21-0BA0
ET 200SP, DQ 4x24VDC/2A HF, PU 1	6ES7132-6BD21-0CA0
ET 200SP, DQ 4x24VDC/2A High Speed, PU 1	6ES7132-6BD20-0DA0
ET 200SP, DQ 8x 24V DC/0,5A Basic, PU 1	6ES7132-6BF01-0AA0
ET 200SP, DQ 8x 24V DC/0,5A ST, PU 1	6ES7132-6BF01-0BA0
ET 200SP, DQ 8x24VDC/0,5A HF, PU 1	6ES7132-6BF01-0CA0
ET 200SP, DQ 8x 24VDC/0,5A SINK BA, PU 1	6ES7132-6BF61-0AA0
ET 200SP, DQ 16X24VDC/0,5A BA, PU 1	6ES7132-6BH00-0AA0
ET 200SP, DQ 16x 24V DC/0,5A ST, PU 1	6ES7132-6BH01-0BA0
ET 200SP, DQ 16x24VDC/0,5A HF, PU 1	6ES7132-6BH00-0CA0
ET 200SP, DQ 4x24..230VAC/2A ST	6ES7132-6FD00-0BB1
ET 200SP, DQ 4x24..230VAC/2A HF, PU 1	6ES7132-6FD00-0CU0
ET 200SP, RQ CO 4x 24V DC/2A ST, VPE 1	6ES7132-6GD51-0BA0
ET 200SP, RQ CO 3x120VDC..230VAC/5A ST	6ES7132-6HC50-0BU0
ET 200SP, RQ COni 3x120VDC..230VAC/5A ST	6ES7132-6HC70-0BU0
ET 200SP, RQ NO 4x 120VDC..230VAC/5A,PU1	6ES7132-6HD01-0BB1
ET 200SP,RQ NO-mA 4x120VDC..230VAC/5A ST	6ES7132-6MD00-0BB1
ET 200SP, F-RQ 1x24VDC/24..230VAC/5A ST	6ES7136-6RA00-0BF0
ET 200SP, F-DQ 4x24VDC/2A PM HF	6ES7136-6DB00-0CA0
ET 200SP, F-DQ 8x24VDC/0.5A PP HF	6ES7136-6DC00-0CA0
ET 200SP HA, EX-DQ 2x17,4VDC/27MA	6DL1132-6CB00-0HX1

: Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

I/O modules

	Article number
ET 200SP HA, EX-DQ 2x23,1VDC/20MA	6DL1132-6EB00-0HX1
SIPLUS ET 200SP F-DQ 4x24VDC/2A PM HF	6AG1136-6DB00-2CA0
SIPLUS ET 200SP F-DQ 8x24VDC/0.5A PP HF	6AG1136-6DC00-2CA0
SIPLUS ET 200SP F-RQ 24VDC/24-230VAC/5A	6AG1136-6RA00-2BF0
SIPLUS ET 200SP F-DQ 4X24VDC/2A PM RAIL	6AG2136-6DB00-1CA0
SIPLUS ET 200SP F-DQ 8x24VDC 0.5A RAIL	6AG2136-6DC00-1CA0
SIPLUS ET 200SP F-RQ 24VDC230VAC/5A RAIL	6AG2136-6RA00-1BF0
SIPLUS ET 200SP DQ 8x24VDC/0,5A ST	6AG1132-6BF01-7BA0
SIPLUS ET 200SP DQ 8x24VDC/0,5A SNK BA	6AG1132-6BF61-7AA0
SIPLUS ET 200SP DQ 16x24VDC/0,5A ST	6AG1132-6BH01-7BA0
SIPLUS ET 200SP DQ 4X24..230VAC/2A HF	6AG1132-6FD00-7CU0
SIPLUS ET 200SP RQ 4x24VDC/2A CO ST	6AG1132-6GD51-7BA0
SIPLUS ET 200SP RQ 4x120VDC/230VAC/5A	6AG1132-6HD01-7BB1
SIPLUS ET 200SP DQ 16X24VDC/0.5A TX RAIL	6AG2132-6BH01-4BA0
SIPLUS ET 200SP DQ 4X24..230VAC TX RAIL	6AG2132-6FD00-4CU0
SIPLUS ET 200SP RQ 4x24VUC/2A ST TX RAIL	6AG2132-6GD51-4BA0
SIPLUS ET 200SP RQ 4x120VDC/230 TX RAIL	6AG2132-6HD01-4BB1
SIPLUS ET 200SP RQ 4x120/230 MA TX RAIL	6AG2132-6MD00-4BB1
Digital inputs/outputs	Compare technical specifications online
ET 200SP, DI8x+DQ8x 24V DC/0,5A ST, PU1	6ES7133-6BH00-0BA0
Analog inputs	
ET 200SP, AI 2xU Standard, PU 1	6ES7134-6FB00-0BA1
ET 200SP, AI 8xU Basic	6ES7134-6FF00-0AA1
ET 200SP, AI 2xI 2-/4-Wire ST, PU 1	6ES7134-6GB00-0BA1
ET 200SP, AI 4XI 2-/4-Wire ST, PU 1	6ES7134-6GD01-0BA1
ET 200SP, AI 8XI 2-/4-Wire Basic	6ES7134-6GF00-0AA1
ET 200SP AI 2 X U/I 2-, 4-Wire HF	6ES7134-6HB00-0CA1
ET 200SP AI 2 X U/I 2-, 4-Wire HS	6ES7134-6HB00-0DA1
ET 200SP, AI 4xU/I 2-Wire ST, PU 1	6ES7134-6HD01-0BA1
ET 200SP, AI 4x TC HS	6ES7134-6JD00-0DA1
ET 200SP, AI 4xRTD/TC 2-/3-/4-Wire HF	6ES7134-6JD00-0CA1
ET 200SP, AI 8xRTD/TC 2-Wire HF	6ES7134-6JF00-0CA1
ET 200SP, AI 4XI 2-WIRE 4...20MA HART	6ES7134-6TD00-0CA1
Analog input module AI 2xSG 4-/6-wire HS	7MH4134-6LB00-0DA0
ET 200SP AI Energy Meter CT ST	6ES7134-6PA01-0BU0
ET 200SP AI Energy Meter CT HF	6ES7134-6PA01-0CU0
ET 200SP AI Energy Meter RC ST	6ES7134-6PA21-0BU0
ET 200SP AI Energy Meter RC HF	6ES7134-6PA21-0CU0
ET 200SP, F-AI 4XI 0(4)..20mA HF	6ES7136-6AA00-0CA1
ET 200SP, F-AI 4xU 0..10V HF	6ES7136-6AB00-0CA1
ET 200SP HA, EX-AI 2xI 2-WIRE HART	6DL1134-6TB00-0HX1
ET 200SP HA, EX-AI 4xTC/2xRTD 2-/3-/4-W	6DL1134-6JD00-0HX1
ACCESSORY FOR 3NJ6	3NJ6920-3BE21
Current transformer 50/1A, 2,5VA C1,0	4NC5112-0CB21
SIPLUS ET 200SP AI 8xU BASIC	6AG1134-6FF00-2AA1
SIPLUS ET 200SP AI 2 X U/I 2-, 4-WIRE HF	6AG1134-6HB00-2CA1
SIPLUS ET 200SP AI 2 X U/I 2-, 4-WIRE HS	6AG1134-6HB00-2DA1
SIPLUS ET 200SP AI 4xRTD/TC HF	6AG1134-6JD00-2CA1
SIPLUS ET 200SP AI 4x TC HS	6AG1134-6JD00-2DA1
SIPLUS ET 200SP AI 8XRTD/TC 2-WIRE HF	6AG1134-6JF00-2CA1
SIPLUS ET 200SP AI 4XI 2-WIRE 4...20MA H	6AG1134-6TD00-2CA1
SIPLUS ET 200SP F-AI 4xI 2-/4-wire HF	6AG1136-6AA00-2CA1
SIPLUS ET 200SP F-AI 4xU 0..10V HF	6AG1136-6AB00-2CA1
SIPLUS ET 200SP AI 4XI 2-/4-WIRE T1 RAIL	6AG2134-6GD01-1BA1

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

I/O modules

	Article number
SIPLUS ET 200SP AI 2XU/I 2/4W HF T1 RAIL	6AG2134-6HB00-1CA1
SIPLUS ET 200SP AI 4XU/I 2-WIRE T1 RAIL	6AG2134-6HD01-1BA1
SIPLUS ET 200SP AI 4xRTD/TC HF RAIL	6AG2134-6JD00-1CA1
SIPLUS ET 200SP AI 8XRTD/TC T1 RAIL	6AG2134-6JF00-1CA1
SIPLUS ET 200SP F-AI 4xI 2/4-w HF RAIL	6AG2136-6AA00-1CA1
SIPLUS ET 200SP F-AI 4xU 0..10V HF RAIL	6AG2136-6AB00-1CA1
SIPLUS ET 200SP AI 4xI 2-/4-w ST	6AG1134-6GD01-7BA1
SIPLUS ET 200SP AI 8XI 2-/4-WIRE BA	6AG1134-6GF00-7AA1
SIPLUS ET 200SP AI 4xU/I 2-w ST	6AG1134-6HD01-7BA1
SIPLUS ET 200SP AI 4XI 2-/4-WIRE TX RAIL	6AG2134-6GD01-4BA1
SIPLUS ET 200SP AI 8xI 2-/4-W BA TX RAIL	6AG2134-6GF00-4AA1
SIPLUS ET 200SP AI 4XU/I 2-WIRE TX RAIL	6AG2134-6HD01-4BA1
Analog outputs	Compare technical specifications online
ET 200SP, AQ 2xU Standard, PU 1	6ES7135-6FB00-0BA1
ET 200SP, AQ 2xI Standard, PU 1	6ES7135-6GB00-0BA1
ET 200SP, AQ 2 X U/I High Feature	6ES7135-6HB00-0CA1
ET 200SP, AQ 2 X U/I High Speed	6ES7135-6HB00-0DA1
ET 200SP, AQ 4xU/I ST	6ES7135-6HD00-0BA1
ET 200SP, AQ 4xI HART HF	6ES7135-6TD00-0CA1
ET 200SP HA, EX-AQ 2xI HART	6DL1135-6TB00-0HX1
SIPLUS ET 200SP AQ 2 X U/I HIGH SPEED	6AG1135-6HB00-2DA1
SIPLUS ET 200SP AQ 4xI HART High Feature	6AG1135-6TD00-2CA1
SIPLUS ET 200SP AQ 2x U/I HS RAIL	6AG2135-6HB00-1DA1
SIPLUS ET 200SP AQ 2xI STANDARD	6AG1135-6GB00-7BA1
SIPLUS ET 200SP AQ 2xU/I HF	6AG1135-6HB00-7CA1
SIPLUS ET 200SP AQ 4xU/I ST	6AG1135-6HD00-7BA1
SIPLUS ET 200SP AQ 4XU/I ST TX RAIL	6AG2135-6HD00-4BA1
Power modules	
ET 200SP, F-PM-E PPM, 24V DC	6ES7136-6PA00-0BC0
ET 200SP HA, Ex-PM E POWER MODULE	6DL1133-6PX00-0HW0
SIPLUS ET 200SP F-PM-E 24VDC/8A PPM	6AG1136-6PA00-2BC0
SIPLUS ET 200SP F-PM-E 24VDC/8A PPM RAIL	6AG2136-6PA00-1BC0
Motor starter	Compare technical specifications online
ET 200SP, D-O-L starter 0.1 - 0.4A HF	3RK1308-0AA00-0CP0
ET 200SP, D-O-L starter 0.3 - 1A HF	3RK1308-0AB00-0CP0
ET 200SP, D-O-L starter 0.9 - 3A HF	3RK1308-0AC00-0CP0
ET 200SP, D-O-L starter 2.8 - 9A HF	3RK1308-0AD00-0CP0
ET 200SP, D-O-L starter 4.0 - 12A HF	3RK1308-0AE00-0CP0
ET 200SP, D-O-L starter F 0.1-0.4A HF	3RK1308-0CA00-0CP0
ET 200SP, D-O-L starter F 0.3-1A HF	3RK1308-0CB00-0CP0
ET 200SP, D-O-L starter F 0.9-3A HF	3RK1308-0CC00-0CP0
ET 200SP, D-O-L starter F 2.8-9A HF	3RK1308-0CD00-0CP0
ET 200SP, D-O-L starter F 4.0-12A HF	3RK1308-0CE00-0CP0
ET 200SP, reversing starter 0.1 -0.4A HF	3RK1308-0BA00-0CP0
ET 200SP, reversing starter 0.3 - 1A HF	3RK1308-0BB00-0CP0
ET 200SP, reversing starter 0.9 - 3A HF	3RK1308-0BC00-0CP0
ET 200SP, reversing starter 2.8 - 9 A HF	3RK1308-0BD00-0CP0
ET 200SP, reversing starter 4.0 - 12A HF	3RK1308-0BE00-0CP0
ET 200SP, reversing starterF 0.1-0.4A HF	3RK1308-0DA00-0CP0
ET 200SP, reversing starter F 0.3-1A HF	3RK1308-0DB00-0CP0
ET 200SP, reversing starter F 0.9-3A HF	3RK1308-0DC00-0CP0
ET 200SP, reversing starter F 2.8-9A HF	3RK1308-0DD00-0CP0
ET 200SP, reversing starter F 4.0-12A HF	3RK1308-0DE00-0CP0
Technology modules	

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

I/O modules

	Article number
ET 200SP, DI 8x24VDC High Speed	6ES7131-6BF00-0DA0
ET 200SP, F-TM Count 1x1Vpp sin/cos HF	6ES7136-6CB00-0CA0
ET 200SP, TM Posinput 1	6ES7138-6BA01-0BA0
ET 200SP, TM Timer DIDQ 10x24V	6ES7138-6CG00-0BA0
ET 200SP, TM Count 1x24V	6ES7138-6AA01-0BA0
SIPLUS ET 200SP TM COUNT 1X24V	6AG1138-6AA01-2BA0
SIPLUS ET 200SP TM POSINPUT 1	6AG1138-6BA01-2BA0
SIPLUS ET 200SP TM TIMER DIDQ 10x24V	6AG1138-6CG00-2BA0
SIPLUS ET 200SP TM COUNT 1X24V T1 RAIL	6AG2138-6AA01-1BA0
ET 200SP, DQ 4x24VDC/2A High Speed, PU 1	6ES7132-6BD20-0DA0
ET 200SP, TM Pulse 2x24V	6ES7138-6DB00-0BB1
ET 200SP, TM Timer DIDQ 10x24V	6ES7138-6CG00-0BA0
ET 200SP, DQ 4x24..230VAC/2A HF, PU 1	6ES7132-6FD00-0CU0
SIPLUS ET 200SP TM TIMER DIDQ 10x24V	6AG1138-6CG00-2BA0
SIPLUS ET 200SP TM PULSE 2x24V	6AG1138-6DB00-2BB1
SIPLUS ET 200SP TM PULSE 2x24V T1 RAIL	6AG2138-6DB00-1BB1
SIPLUS ET 200SP DQ 4X24..230VAC/2A HF	6AG1132-6FD00-7CU0
SIPLUS ET 200SP DQ 4X24..230VAC TX RAIL	6AG2132-6FD00-4CU0
Weighing module TM SIWAREX WP321 ST	7MH4138-6AA00-0BA0
Weighing module TM SIWAREX WP341 HF	7MH4138-6CA00-0CU0
Weighing module TM SIWAREX WP351 HF	7MH4138-6BA00-0CU0
SIPLUS WP321	6AG1138-6AA00-2BA8
ET 200SP, TM Posinput 1	6ES7138-6BA01-0BA0
ET 200SP, TM Count 1x24V	6ES7138-6AA01-0BA0
SIPLUS ET 200SP TM COUNT 1X24V	6AG1138-6AA01-2BA0
SIPLUS ET 200SP TM POSINPUT 1	6AG1138-6BA01-2BA0
SIPLUS ET 200SP TM COUNT 1X24V T1 RAIL	6AG2138-6AA01-1BA0
ET 200SP, TM PTO 2x24V	6ES7138-6EB00-0BA0
ET 200SP AI Energy Meter CT ST	6ES7134-6PA01-0BU0
ET 200SP AI Energy Meter RC ST	6ES7134-6PA21-0BU0
ET 200SP AI Energy Meter CT HF	6ES7134-6PA01-0CU0
ET 200SP AI Energy Meter RC HF	6ES7134-6PA21-0CU0
SIPLUS ET 200SP AI EMETER 480VAC ST	6AG1134-6PA20-7BD0
SIPLUS ET 200SP AI EMETER 480VAC TX RAIL	6AG2134-6PA20-4BD0
SIMATIC ET 200SP TM ECC 2xPWM ST	6FE1242-6TM10-0BB1
SIMATIC ET 200SP TM ECC PL ST	6FE1242-6TM20-0BB1
SIPLUS ET 200SP TM ECC 2xPWM ST	6AG1242-6TM10-2BB1
ET 200SP, DI 8x24VDC High Speed	6ES7131-6BF00-0DA0
ET 200SP, DQ 4x24VDC/2A High Speed, PU 1	6ES7132-6BD20-0DA0
ET 200SP AI 2 X U/I 2-, 4-Wire HS	6ES7134-6HB00-0DA1
Analog input module AI 2xSG 4-/6-wire HS	7MH4134-6LB00-0DA0
ET 200SP, AQ 2 X U/I High Speed	6ES7135-6HB00-0DA1
ET 200SP, TM Timer DIDQ 10x24V	6ES7138-6CG00-0BA0
SIPLUS ET 200SP AI 2 X U/I 2-, 4-WIRE HS	6AG1134-6HB00-2DA1
SIPLUS ET 200SP AQ 2 X U/I HIGH SPEED	6AG1135-6HB00-2DA1
SIPLUS ET 200SP TM TIMER DIDQ 10x24V	6AG1138-6CG00-2BA0
SIPLUS ET 200SP AQ 2x U/I HS RAIL	6AG2135-6HB00-1DA1
ET 200SP, TM Timer DIDQ 10x24V	6ES7138-6CG00-0BA0
ET 200SP, DQ 4x24VDC/2A High Speed, PU 1	6ES7132-6BD20-0DA0
SIPLUS ET 200SP TM TIMER DIDQ 10x24V	6AG1138-6CG00-2BA0
ET 200SP, TM Timer DIDQ 10x24V	6ES7138-6CG00-0BA0
SIPLUS ET 200SP TM TIMER DIDQ 10x24V	6AG1138-6CG00-2BA0
Analog input module AI 2xSG 4-/6-wire HS	7MH4134-6LB00-0DA0
F-TM ServoDrive ST	6BK1136-6AB01-0BU0

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

I/O modules

	Article number
F-TM StepDrive ST	6BK1136-6SB01-0BU0
F-TM ServoDrive HF	6BK1136-6AB01-0CU0
SITRANS FCT070 Coriolis flow transmitter	7ME4138-6AA00-0BB1
Technology module SITRANS FST070	7ME3448-6AA00-0BB1
Communication modules	
Communication processor CP 1542SP-1 IRC	6GK7542-6VX00-0XE0
Communication processor CP 1542SP-1	6GK7542-6UX00-0XE0
Communication processor CP 1543SP-1	6GK7543-6WX00-0XE0
ET 200SP, cm DP for ET 200SP CPU	6ES7545-5DA00-0AB0
CM AS-I MASTER ST ET 200SP (AS-I V3.0)	3RK7137-6SA00-0BC1
F-CM AS-I SAFETY ST ET 200SP	3RK7136-6SC00-0BC1
ET 200SP, CM 1x DALI	6ES7137-6CA00-0BU0
ET 200SP, CM PTP, PU 1	6ES7137-6AA01-0BA0
ET 200SP CM CAN	6ES7137-6EA00-0BA0
ET 200SP, CM 4 X IO-Link ST	6ES7137-6BD00-0BA0
SIPLUS ET 200SP CM 4XIO-LINK	6AG1137-6BD00-2BA0
SIPLUS ET 200SP CM CAN	6AG1137-6EA00-2BA0
SIPLUS ET 200SP CM 4XIO-LINK ST T1 RAIL	6AG2137-6BD00-1BA0
SIPLUS ET 200SP CM CAN RAIL	6AG2137-6EA00-2BA0
SIPLUS ET 200SP CM PTP	6AG1137-6AA01-7BA0
SIPLUS ET 200SP CP 1543SP-1 ISEC	6AG1543-6WX00-7XE0
SIPLUS ET 200SP CM DP	6AG1545-5DA00-2AB0
SIPLUS ET 200SP CM PTP RAIL	6AG2137-6AA01-4BA0
SIPLUS ET 200SP CP 1542SP-1 IRC TX RAIL	6AG2542-6VX00-4XE0
SIPLUS ET 200SP CP 1543SP-1 ISEC TX RAIL	6AG2543-6WX00-4XE0
Cover modules	
ET 200SP, 5 BU-Cover, 15mm	6ES7133-6CV15-1AM0
ET 200SP, 5 BU-Cover, 20mm	6ES7133-6CV20-1AM0
ET 200SP, BU cover, 30mm	3RK1908-1CA00-0BP0
Valve terminals	
Compare technical specifications online	
PotDis	
Compare technical specifications online	
PotDis-TB-n.c.-G, PU 1	6ES7193-6TP00-0TNO
PotDis-TB-BR-W, PU 1	6ES7193-6TP00-0TP0
PotDis-TB-P1-R, PU 1	6ES7193-6TP00-0TP1
PotDis-TB-P2-B, PU 1	6ES7193-6TP00-0TP2

Power supplies

[Compare technical specifications online](#)

	Article number
SIMATIC ET 200SP PS/1AC/24VDC/5A	6EP7133-6AB00-0BN0
SIMATIC ET 200SP PS/1AC/24VDC/10A	6EP7133-6AE00-0BN0

: Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Station expansion

[Compare technical specifications online](#)



	Article number
ET 200SP, Busadapter BA-Send BA1XFC	6ES7193-6AS00-0AA0

Base Unit



	Article number
BaseUnit Type A0, BU15-P16+A0+2B	6ES7193-6BP00-0BA0
BaseUnit Type A0, BU15-P16+A0+2D	6ES7193-6BP00-0DA0
BaseUnit Type A0, BU15-P16+A10+2B	6ES7193-6BP20-0BA0
BaseUnit Type A0, BU15-P16+A10+2D	6ES7193-6BP20-0DA0
BaseUnit Type A1, BU15-P16+A0+2B/T	6ES7193-6BP00-0BA1
BaseUnit Type A1, BU15-P16+A0+2D/T	6ES7193-6BP00-0DA1
BaseUnit Type A1, BU15-P16+A0+12B/T	6ES7193-6BP40-0BA1
BaseUnit Type A1, BU15-P16+A0+12D/T	6ES7193-6BP40-0DA1
BaseUnit Type B0, BU20-P12+A4+0B	6ES7193-6BP20-0BB0
BaseUnit Type B1, BU20-P12+A0+4B, PU 1	6ES7193-6BP20-0BB1
BaseUnit Type C0, BU20-P6+A2+4D	6ES7193-6BP20-0DC0
BaseUnit Type C1, BU20-P6+A2+4B	6ES7193-6BP20-0BC1
BaseUnit Type D0, BU20-P12+A0+0B	6ES7193-6BP00-0BD0
BaseUnit Type F0, BU20-P8+A4+0B	6ES7193-6BP20-0BF0
ET 200SP, BaseUnit BU-Send	6ES7193-6BN00-0NE0
ET200 SP, BU with infeed 24V and 500V	3RK1908-0AP00-0AP0
ET200 SP, BU with infeed 24V	3RK1908-0AP00-0BP0
ET200 SP, BU with infeed 500V	3RK1908-0AP00-0CP0
ET200 SP, BU without infeed	3RK1908-0AP00-0DP0
ET 200SP, BU F-DI-infeed and 500 V	3RK1908-0AP00-0GP0
ET 200SP, BU F-DI-forwarding infeed 500V	3RK1908-0AP00-0HP0
ET 200SP, BU F-DI -forwarding	3RK1908-0AP00-0JP0
ET 200SP, BU F-DI -infeed	3RK1908-0AP00-0KP0
PotDis-BU type P1,dark-colored, PU 1	6ES7193-6UP00-0BP1
PotDis-BU type P2,dark-colored, PU 1	6ES7193-6UP00-0BP2
PotDis-BU type P1,light-colored, PU 1	6ES7193-6UP00-0DP1
PotDis-BU type P2,light-colored, PU 1	6ES7193-6UP00-0DP2

SIPLUS

[Compare technical specifications online](#)

SIPLUS ET 200SP BU20-P8+A4+0B	6AG1193-6BP20-2BF0
SIPLUS ET 200SP BU20-P6+A2+4D	6AG1193-6BP20-7DC0
SIPLUS ET 200SP BU15-P16+A0+2B	6AG1193-6BP00-7BA0
SIPLUS ET 200SP BU15-P16+A0+2B/T	6AG1193-6BP00-7BA1
SIPLUS ET 200SP BU20-P12+A0+0B	6AG1193-6BP00-7BD0
SIPLUS ET 200SP BU15-P16+A0+2D	6AG1193-6BP00-7DA0
SIPLUS ET 200SP BU15-P16+A0+2D/T	6AG1193-6BP00-7DA1
SIPLUS ET 200SP BU15-P16+A10+2B	6AG1193-6BP20-7BA0
SIPLUS ET 200SP BU20-P12+A4+0B	6AG1193-6BP20-7BB0
SIPLUS ET 200SP BU20-P12+A0+4B TYP B1	6AG1193-6BP20-7BB1
SIPLUS ET 200SP BU15-P16+A10+2D	6AG1193-6BP20-7DA0
SIPLUS ET 200SP BU15-P16+A0+12B/T	6AG1193-6BP40-7BA1
SIPLUS ET 200SP BU15-P16+A0+12D/T	6AG1193-6BP40-7DA1


: Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Base Unit

	Article number
SIPLUS ET 200SP BU15-P16+A0+2B TX RAIL	6AG2193-6BP00-4BA0
SIPLUS ET 200SP BU20-P12+A0+0B TX RAIL	6AG2193-6BP00-4BD0
SIPLUS ET 200SP BU15-P16+A0+2D TX RAIL	6AG2193-6BP00-4DA0
SIPLUS ET 200SP BU15-P16+A0+2D/T TX RAIL	6AG2193-6BP00-4DA1
SIPLUS ET 200SP BU15-P16+A10+2B TX RAIL	6AG2193-6BP20-4BA0
SIPLUS ET 200SP BU20-P12+A0+4B TX RAIL	6AG2193-6BP20-4BB1
SIPLUS ET 200SP BU20-P8+A4+0B TX RAIL	6AG2193-6BP20-4BF0
SIPLUS ET 200SP BU15-P16+A10+2D TX RAIL	6AG2193-6BP20-4DA0
SIPLUS ET 200SP BU20-P6+A2+4D TX RAIL	6AG2193-6BP20-4DC0

Accessories

	Article number	Compare technical specifications online	
	Memory card	Compare technical specifications online	
	SIMATIC S7 memory card, 4 MB	6ES7954-8LC04-0AA0	
	SIMATIC S7 Memory Card, 12 MB	6ES7954-8LE04-0AA0	
	SIMATIC S7 Memory Card, 24 MB	6ES7954-8LF04-0AA0	
	SIMATIC S7 Memory Card, 256 MB	6ES7954-8LL04-0AA0	
	SIMATIC S7 Memory Card, 2 GB	6ES7954-8LP04-0AA0	
	SIMATIC S7 Memory Card, 32 GB	6ES7954-8LT04-0AA0	
	Memory Card S7-1500T MC KinPlus 2 GB	6ES7954-8LP80-0AA0	
	Memory Card S7-1500T MC KinPlus 32 GB	6ES7954-8LT80-0AA0	
	SIMATIC system rail		Compare technical specifications online
SIMATIC system rail, length 482,6mm	6ES7193-6MR00-0AA0		
SIMATIC system rail, length 530mm	6ES7193-6MR00-0BA0		
SIMATIC system rail, length 830mm	6ES7193-6MR00-0CA0		
SIMATIC system rail, length 2000mm	6ES7193-6MR00-0DA0		
Color-coding plates		Compare technical specifications online	
10 color-coded labels CC00	6ES7193-6CP00-2MA0		
10 color-coded labels CC01	6ES7193-6CP01-2MA0		
10 color-coded labels CC02	6ES7193-6CP02-2MA0		
10 color-coded labels CC03	6ES7193-6CP03-2MA0		
10 color-coded labels CC04	6ES7193-6CP04-2MA0		
10 color-coded labels CC10	6ES7193-6CP10-2MT0		
10 color-coded labels CC11	6ES7193-6CP11-2MT0		
10 color-coded labels CC12	6ES7193-6CP12-2MT0		
10 color-coded labels CC13	6ES7193-6CP13-2MT0		
10 color-coded labels CC41	6ES7193-6CP41-2MB0		
10 color-coded labels CC51	6ES7193-6CP51-2MC0		
10 color-coded labels CC52	6ES7193-6CP52-2MC0		
10 color-coded labels CC62	6ES7193-6CP62-2MA0		
10 color-coded labels CC63	6ES7193-6CP63-2MA0		
10 color-coded labels CC71	6ES7193-6CP71-2AA0		
10 color-coded labels CC72	6ES7193-6CP72-2AA0		
10 color-coded labels CC73	6ES7193-6CP73-2AA0		
10 color-coded labels CC81	6ES7193-6CP81-2AB0		
10 color-coded labels CC82	6ES7193-6CP82-2AB0		
10 color-coded labels CC83	6ES7193-6CP83-2AB0		
10 color-coded labels CC84	6ES7193-6CP84-2AC0		
10 color-coded labels CC85	6ES7193-6CP85-2AC0		
10 color-coded labels CC86	6ES7193-6CP86-2AC0		
Labeling strips		Compare technical specifications online	
500 labeling Stripes, Light grey	6ES7193-6LR10-0AA0		

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

	Article number
500 labeling Stripes, Light yellow	6ES7193-6LR10-0AG0
1000 labeling Stripes A4, yellow	6ES7193-6LA10-0AG0
1000 labeling Stripes A4, Light grey	6ES7193-6LA10-0AA0
BusAdapter	Compare technical specifications online
ET 200SP, Busadapter BA 2xRJ45	6ES7193-6AR00-0AA0
ET 200SP, Busadapter BA 2XFC	6ES7193-6AF00-0AA0
ET 200SP, Busadapter BA 2xSCRJ	6ES7193-6AP00-0AA0
ET 200SP, Busadapter BA SCRJ/RJ45	6ES7193-6AP20-0AA0
ET 200SP, Bus adapter BA SCRJ/FC	6ES7193-6AP40-0AA0
SIMATIC Busadapter BA 2xM12	6ES7193-6AM00-0AA0
SIMATIC Busadapter BA 2XLC	6ES7193-6AG00-0AA0
SIMATIC Busadapter BA LC/RJ45	6ES7193-6AG20-0AA0
SIMATIC Bus adapter BA LC/FC	6ES7193-6AG40-0AA0
SIMATIC Busadapter BA 2xLC-LD	6ES7193-6AG50-0AA0
SIMATIC Busadapter BA LC-LD/RJ45	6ES7193-6AG60-0AA0
SIMATIC Busadapter BA LC-LD/M12	6ES7193-6AG70-0AA0
SIPLUS ET 200SP BA 2XLC	6AG1193-6AG00-2AA0
SIPLUS ET 200SP BA LC/RJ45	6AG1193-6AG20-2AA0
SIPLUS ET 200SP BA 2XSCRJ PN	6AG1193-6AP00-2AA0
SIPLUS ET 200SP BA 2XFC PN	6AG1193-6AF00-7AA0
SIPLUS ET 200SP BA 2xM12	6AG1193-6AM00-7AA0
SIPLUS ET 200SP BA 2xRJ45	6AG1193-6AR00-7AA0
SIPLUS ET 200SP BA 2XFC TX RAIL	6AG2193-6AF00-4AA0
SIPLUS ET 200SP BA 2xM12 RAIL	6AG2193-6AM00-4AA0
SIPLUS ET 200SP BA 2XRJ45 TX RAIL	6AG2193-6AR00-4AA0
Tools	Compare technical specifications online
FastConnect Stripping Tool	6GK1901-1GA00
FastConnect Stripping Tool	6GK1905-6AA00
TERMINATION KIT SC RJ POF PLUG	6GK1900-0ML00-0AA0
TERMINATION KIT SC RJ PCF PLUG	6GK1900-0NL00-0AA0
MotorStarter_Accessories	
ET 200SP, mech. additional mounting BU	3RK1908-1EA00-1BP0
ET200 SP, 3DI/LC module	3RK1908-1AA00-0BP0
ET200 SP, touch protection for power bus	3RK1908-1DA00-2BP0
FAN	3RW4928-8VB00
END RETAINER, STEEL	8WA1805
SIPLUS RIC memory cards	Compare technical specifications online
160 Equipment Identifier Plates	6ES7193-6LF30-0AW0
5 shielding Connections	6ES7193-6SC20-1AM0
ET200SP, Servermodule	6ES7193-6PA00-0AA0
PB Connector, 90 Degree, with PG Socket	6ES7972-0BB70-0XA0
ET 200SP, 5 E-coding Elements Type H	6ES7193-6EH00-1AA0
ET 200SP, 5 E-coding Elements Type F	6ES7193-6EF00-1AA0
Repeater RS485 f. PROFIBUS/MPI	6ES7972-0AA02-0XA0
Diagnostic repeater f. PROFIBUS-DP,	6ES7972-0AB01-0XA0
SIRIUS SAFETY RELAY ADV ELECT. 3+1	3SK1122-2AB40
SIPLUS	Compare technical specifications online
SIPLUS Diagnose-Repeater fuer Profibus	6AG1972-0AB01-4XA0
SIPLUS ET 200SP Servermodul	6AG1193-6PA00-7AA0
SIPLUS DP RS485-Repeater	6AG1972-0AA02-7XA0
SIPLUS DP PB-Stecker PG-Buchse 90Grad	6AG1972-0BB70-7XA0
Junction box	Compare technical specifications online
Junction box SIWAREX JB aluminum	7MH5001-0AA20
Junction box SIWAREX JB stainless steel	7MH5001-0AA00

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

	Article number
Junction box SIWAREX JB ATEX ss	7MH5001-0AA01
Load cell connecting cable	Compare technical specifications online
LI2Y 2X0,75ST + 2 (2X0,34ST)	7MH4702-8AG
LI2Y 2X0,75ST + 2X	7MH4702-8AF
Configuration package	Compare technical specifications online
SIWATOOL CD	7MH4900-1AK01
Shield terminals	Compare technical specifications online
5 shielding Connections	6ES7193-6SC20-1AM0
EX barrier	Compare technical specifications online
SIWAREX IS, STANDARD	7MH4710-5BA
SIWAREX IS INTERMEDIATE BOX	7MH4710-5CA
Legal-for-trade verification kit	Compare technical specifications online
SIWAREX WP351 Verification	7MH4138-6BA00-0AY0
Accessories M12	Compare technical specifications online
Control M12 Cable Connector PRO	6GK1908-0DC10-6AA0

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Published by
Siemens AG

Digital Industries
Factory Automation
P.O. box 4848
90026 Nuremberg
Germany

For U.S. only:

Siemens Industry Inc.
100 Technology Drive
Alpharetta, GA 30005
United States

The TIA SELECTION TOOL and all its editions are made available to you at no charge. We therefore do not assume any warranty, in particular for the accuracy, correctness, completeness, availability or usability of this tool. Our liability for damages resulting from using the examples, help notes, programs, configuration and performance data, etc. described in this TIA SELECTION TOOL and all its editions regardless of the legal background is excluded unless required by law, e.g. in cases of willful misconduct, gross negligence, personal injury or death, failure to achieve guaranteed characteristics or fraudulent concealment of a defect or in case of breach of fundamental contractual obligations. Distribution or reproduction of this TIA SELECTION TOOL and all its editions or excerpts from it is prohibited unless expressly permitted by Siemens. The latest firmware and hardware versions are configured in the TIA Selection Tool.

Subject to change